This listing of claims will replace all prior versions, and listings, of claims in the

application:

Claim 1. (Currently Amended) A macroscopically three-dimensional cleaning sheet

having a first outward surface and a second outward surface, wherein at least one of the

outward surfaces has a macroscopic three dimensional texture, said macroscopic dimensional

texture being defined by peaks and valleys such that said textured outward surface has an

Average Peak to Peak Distance of at least about 1 mm and a Surface Topography Index from

about 0.01 to about 10 and wherein said cleaning sheet comprises an additive applied at a low

effective level to provide improved adhesion of soil to the sheet.

Claim 2. (Previously Presented) The cleaning sheet of Claim 1 wherein said textured

outward surface has an Average Height Differential of at least about 0.5 mm.

Claim 3. (Previously Presented) The cleaning sheet of Claim 2 wherein said Average

Height Differential is at least about 1 mm.

Claim 4. (Previously Presented) The cleaning sheet of Claim 3 wherein said Average

Height Differential is from about 1 mm to about 3 mm.

Claim 5. (Previously Presented) The cleaning sheet of Claim 1 wherein said Average

Peak to Peak Distance is at least about 2 mm.

Claim 6. (Previously Presented) The cleaning sheet of Claim 5 wherein said Average

Peak to Peak Distance is at least about 3 mm.

The cleaning sheet of Claim 1 wherein said Average Claim 7. (Previously Presented)

Peak to Peak Distance is from about 1 to about 20 mm.

Page 2 of 13

Appl. No. 09/881,473 Atty. Docket No. 6798MD Preliminary Amd. dated July 24, 2003 Reply to Final Office Action of January 28, 2003

Claim 8. (*Previously Presented*) The cleaning sheet of Claim 7 wherein said Average Peak to Peak Distance is from about 4 to about 12 mm.

Claim 9. (*Previously Presented*) The cleaning sheet of Claim 1 wherein said Surface Topography Index is from about 0.1 to about 5.

Claim 10. (*Previously Presented*) The cleaning sheet of Claim 9 wherein said Surface Topography Index is from about 0.2 to about 3.

Claim 11. (*Previously Presented*) The cleaning sheet of Claim 10 wherein said Surface Topography Index is from about 0.3 to about 2.

Claim 12. (*Previously Presented*) The cleaning sheet of claim 1 wherein said textured outward surface has an Average Peak to Peak Distance of from about 3 mm to about 16 mm, a Surface Topography Index of from about 0.1 to about 5, and an Average Height Differential of from about 0.5 to about 6.

Claim 13. (Original) The cleaning sheet of Claim 12 wherein said cleaning sheet is a hydroentangled cleaning sheet.

Claim 14. (*Previously Presented*) The cleaning sheet of claim 1 wherein said textured outward surface has an Average Peak to Peak Distance of from about 4 mm to about 12 mm, a Surface Topography Index of from about 0.2 to about 3, and an Average Height Differential of from about 1 to about 3.

Claim 15. (Original) The cleaning sheet of Claim 14 wherein said cleaning sheet is a hydroentangled cleaning sheet.

Claim 16. (Original) The cleaning sheet of Claim 1 wherein said cleaning sheet is a hydroentangled cleaning sheet.

Claim 17. (Canceled)

Appl. No. 09/881,473

Atty, Docket No. 6798MD

Preliminary Amd. dated July 24, 2003

Reply to Final Office Action of January 28, 2003

Claim 18. (Currently Amended) The cleaning sheet of Claim [[17]] 1 wherein said

additive is included at an add-on level of at least about 0.01%, by weight of the sheet.

Claim 19. (Original) The cleaning sheet of Claim 18 wherein additive is included at an add-

on level of at least about 1%, by weight of the sheet.

Claim 20. (Original) The cleaning sheet of Claim 19 wherein additive is included at an add-

on level of from about 1 to about 15%, by weight of the sheet.

Claim 21. (Original) The cleaning sheet of Claim 20 wherein additive is included at an add-

on level of from about 3 to about 10%, by weight of the sheet.

Claim 22. (Currently Amended) The cleaning sheet of Claim [[17]] 1 wherein the

additive is a mixture of mineral oil and a wax.

Claim 23. (Currently Amended) A macroscopically three-dimensional cleaning sheet

having a first outward surface and a second outward surface, wherein at least one of the

outward surfaces has a macroscopic three dimensional texture, said macroscopic dimensional

texture being defined by peaks and valleys such that said textured outward surface has (i) an

Average Peak to Peak Distance of from about 1 mm to about 20 mm; (ii) a Surface

Topography Index from about 0.2 to about 3; and (iii) an Average Height Differential of at

least about 0.5 mm and wherein said cleaning sheet comprises an additive applied at a low

effective level to provide improved adhesion of soil to the sheet.

Claim 24. (Previously Presented) The cleaning sheet of Claim 23 wherein said Average

Peak to Peak Distance is from about 4 to about 12 mm.

Claim 25. (Previously Presented) The cleaning sheet of Claim 23 wherein said Surface

Topography Index is from about 0.3 to about 2.

Claim 26. (Canceled)

Page 4 of 13

Appl. No. 09/881,473 Atty, Docket No. 6798MD

Preliminary Amd. dated July 24, 2003

Reply to Final Office Action of January 28, 2003

Claim 27. (Currently Amended)

A mac

macroscopically

three-dimensional,

hydroentangled, nonwoven cleaning sheet for removing dust from a surface, said cleaning

sheet comprising at least two fibrous layers; wherein said fibrous layers are hydroentangled

with each other; wherein said cleaning sheet has a first outward surface and a second outward

surface, wherein at least one of said outward surfaces has a macroscopic three dimensional

texture, said macroscopic dimensional texture being defined by peaks and valleys such that

said textured outward surface has an Average Peak to Peak Distance of from about 3 to about

16 mm, a Surface Topography Index from about 0.1 to about 5, and an Average Height

Differential of from about 0.5 to about 6 mm and wherein said cleaning sheet comprises an

additive selected from the group consisting of surfactant, wax, oil, and mixtures thereof;

wherein said additive is included on said cleaning sheet at a level of from about 0.1% to about

25% by weight.

Claim 28. (Original) The cleaning sheet of Claim 27 wherein said cleaning sheet further

comprises a scrim material; wherein said fibrous layers are hydroentangled with said scrim

material.

Claim 29. (Original) The cleaning sheet of Claim 28 wherein said scrim material is made of

a material selected from the group consisting of polyethylene, polypropylene, copolymers of

polyethylene, copolymers of polypropylene, poly(butylene terephthalate), polyethylene

terephthalate, nylon, and mixtures thereof.

Claim 30. (Original) The cleaning sheet of Claim 29 wherein said scrim material is made of

polypropylene.

Claim 31. (Canceled)

Claim 32. (Currently Amended) The cleaning sheet of Claim [[31]] 27 wherein said

additive is selected from the group consisting of wax, oil, and mixtures thereof.

Page 5 of 13

Received from < 5136278118 > at 7/24/03 1:49:47 PM [Eastern Daylight Time]

Appl. No. 09/881,473 Atty. Docket No. 6798MD

Preliminary Amd. dated July 24, 2003

Reply to Final Office Action of January 28, 2003

Claim 33. (Original) The cleaning sheet of Claim 32 wherein said additive is a mixture of

wax and oil.

Claim 34. (Original) The cleaning sheet of Claim 33 wherein said mixture of wax and oil

contains a ratio of said wax to said oil of from about 3:7 to about 99:1.

Claim 35. (Original) The cleaning sheet of Claim 27 wherein said fibrous layers comprise

fibers made of a material selected from the group consisting of natural cellulosic fibers,

polyolefins, polyesters, polyamides, synthetic cellulosic fibers, cotton fibers, and mixtures

thereof.

Claim 36. (Original) The cleaning sheet of Claim 35 wherein said fibers are made of

polyester.

Claim 37. (Currently Amended) A macroscopically three-dimensional, hydroentangled,

nonwoven cleaning sheet for removing dust from a surface, said cleaning sheet comprising at

least two fibrous layers and a scrim material; wherein said fibrous layers are hydroentangled

with said scrim material; wherein said cleaning sheet has a first outward surface and a second

outward surface, wherein at least one of said outward surfaces a macroscopic three

dimensional texture, said macroscopic dimensional texture being defined by peaks and

valleys such that said textured outward surface has an Average Peak to Peak Distance of from

about 3 to about 16 mm, a Surface Topography Index from about 0.1 to about 5, and an

Average Height Differential of from about 0.5 to about 6 mm and wherein said cleaning sheet

comprises an additive selected from the group consisting of surfactant, wax, oil, and mixtures

thereof; wherein said additive is included on said cleaning sheet at a level of from about 4%

to about 8% by weight.

Claim 38. (Canceled)

Claim 39. (Currently Amended) The cleaning sheet of Claim [[38]] 37 wherein said

additive is selected from the group consisting of wax, oil, and mixtures thereof.

Page 6 of 13

Appl. No. 09/881,473 Atty. Docket No. 6798MD Preliminary Amd. dated July 24, 2003

Reply to Final Office Action of January 28, 2003

Claim 40. (Original) The cleaning sheet of Claim 37 wherein said fibrous layers comprise

fibers made of a material selected from the group consisting of natural cellulosic fibers,

polyolefins, polyesters, polyamides, synthetic cellulosic fibers, cotton fibers, and mixtures

thereof.

Claim 41. (Original) The cleaning sheet of Claim 40 wherein said fibers are made of

polyester.

Claim 42. (Original) The cleaning sheet of Claim 37 wherein said scrim material is made of

a material selected from the group consisting of polyethylene, polypropylene, copolymers of

polyethylene, copolymers of polypropylene, poly(butylene terephthalate), polyethylene

terephthalate, nylon, and mixtures thereof.

Claim 43. (Original) The cleaning sheet of Claim 42 wherein said scrim material is made of

polypropylene.

Claim 44. (Original) A cleaning implement comprising:

a. a handle; and

b. a removable cleaning sheet, wherein said cleaning sheet is the cleaning

sheet of Claim 1.

Claim 45. (Original) A cleaning implement comprising:

a. a handle; and

b. a removable cleaning sheet, wherein said cleaning sheet is the cleaning

sheet of Claim 12.

Claim 46. (Original) A cleaning implement comprising:

a. a handle; and

a removable cleaning sheet, wherein said cleaning sheet is the cleaning

sheet of Claim 14.

Claim 47. (Original) A cleaning implement comprising:

Page 7 of 13

Received from < 5136278118 > at 7/24/03 1:49:47 PM [Eastern Daylight Time]

Appl. No. 09/881,473 Atty. Docket No. 6798MD Preliminary Amd. dated July 24, 2003 Reply to Final Office Action of January 28, 2003

- a. a handle; and
- a removable cleaning sheet, wherein said cleaning sheet is the cleaning sheet of Claim 23.

Claim 48. (Original) A cleaning implement comprising:

- a. a handle; and
- a removable cleaning sheet, wherein said cleaning sheet is the cleaning sheet of Claim 27.

Claim 49. (Original) A cleaning implement comprising:

- a. a handle; and
- b. a removable cleaning sheet, wherein said cleaning sheet is the cleaning sheet of Claim 37.

Claim 50. (Original) A method for removing dust from a surface, said method comprising the step of contacting said surface with the cleaning sheet of Claim 1.

Claim 51. (Original) A method for removing dust from a surface, said method comprising the step of contacting said surface with the cleaning sheet of Claim 12.

Claim 52. (Original) A method for removing dust from a surface, said method comprising the step of contacting said surface with the cleaning sheet of Claim 14.

Claim 53. (Original) A method for removing dust from a surface, said method comprising the step of contacting said surface with the cleaning sheet of Claim 23.

Claim 54. (Original) A method for removing dust from a surface, said method comprising the step of contacting said surface with the cleaning sheet of Claim 27.

Claim 55. (Original) A method for removing dust from a surface, said method comprising the step of contacting said surface with the cleaning sheet of Claim 37.

Appl. No. 09/881,473 Atty, Docket No. 6798MD Preliminary Amd. dated July 24, 2003 Reply to Final Office Action of January 28, 2003

Claim 56. (Currently Amended) The cleaning sheet of claim [[17]] 1 wherein said additive is a microcrystalline wax.

Claim 57. (*Previously Presented*) The cleaning sheet of claim 23 wherein said additive is a microcrystalline wax.

Claim 58. (Currently Amended) The cleaning sheet of claim 27 wherein said additive having is a microcrystalline wax applied on at least one of said outward surfaces at a level of from about 0.1% to about 25% by weight.

Claim 59. (Currently Amended) The cleaning sheet of claim 58 wherein said microcrystalline [[was]] is applied to said textured outward surface.

Claim 60. (*Currently Amended*) The cleaning sheet of claim 37 wherein said additive is having a microcrystalline wax applied to at least one of said outward surfaces at a level of from about 0.1% to about 25% by weight.

Claim 61. (Currently Amended) The cleaning sheet of claim 60 wherein said microcrystalline [[was]] is applied to said textured outward surface.

Claim 62. (*Previously Presented*) The cleaning sheet of claim 37 wherein said scrim material is shrinkable such that said three-dimensional texture is formed on at least one of said outward surfaces when said hydroentangled cleaning sheet with said shrinkable scrim material is heated.